

ACTA MATERIALIA

CONTENTS, AUTHOR AND KEYWORD INDEX VOLUME 47 1999

Board of Governors

Professor Karl A. Gschneidner Jr, *Chairman*
Professor Thaddeus B. Massalski, *Secretary*
Dr Robert L. Fullman, *Treasurer, ex officio*
Professor Gareth Thomas, *Managing Director, ex officio*

Dr Kenneth Kinsman
Dr Howard K. Birnbaum
Dr Jere H. Brophy
Dr William W. Scott Jr

Professor Mats Hillert
Professor David G. Brandon
Professor Robert H. Wagoner
Professor Dr Peter Neumann

Principal Editors

Professor Subra Suresh, Department of Materials Science and Engineering, Massachusetts Institute of Technology,
77 Massachusetts Avenue, Room 4-140, Cambridge, MA 02139-4307, U.S.A.

Professor Hirotaro Mori, Research Center for Ultra-High Voltage Electron Microscopy, Osaka University,
Yamadaoka, Suita, Osaka 565, Japan

Professor Richard Wagner, Forschungszentrum Jülich GmbH, D-52425 Jülich, Germany

Professor Ramamoorthy Ramesh, Center for Superconductivity Research, Department of Physics and Department of
Materials Science and Engineering, University of Maryland, College Park, MD 20742, U.S.A.


Associate Editors

ASSOCIATE EDITORS

Dr S. Banerjee (*India*)
Professor J. Th. M. De Hosson (*The Netherlands*)
Dr B. Derby (*United Kingdom*)
Dr D. Juul Jensen (*Denmark*)
Professor R. Kirchheim (*Germany*)
Dr L. P. Kubin (*France*)

Dr S. P. Lynch (*Australia*)
Professor A. Mortensen (*Switzerland*)
Professor F. R. N. Nabarro (*South Africa*)
Professor J. H. Perepezko (*U.S.A.*)
Professor L. Schultz (*Germany*)
Professor Z.-G. Wang (*China*)

Publishing Office: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.



ACTA MATERIALIA CONTENTS OF VOLUME 47

NUMBER 1

J. P. Hirth	1	Dislocations within elliptical holes
D. Gupta, K. Vieregge and W. Gust	5	Interface diffusion in eutectic Pb-Sn solder
S. Agouram, M. O. Bensalah and A. Ghazali	13	A micromechanical modelling of the hysteretic behaviour in thermally induced martensitic phase transitions: application to Cu-Zn-Al shape memory alloys
C. H. Johnson, S. K. Richter, C. H. Hamilton and J. J. Hoyt	23	Static grain growth in a microduplex Ti-6Al-4V alloy
A. K. Dahle and D. H. StJohn	31	Rheological behaviour of the mushy zone and its effect on the formation of casting defects during solidification
Q. Xu, R. W. Hayes, W. H. Hunt Jr and E. J. Lavernia	43	Mechanical properties and fracture behavior of layered 6061/SiC _p composites produced by spray atomization and co-deposition
I. Samajdar, B. Verlinden, L. Kestens and P. Van Houtte	55	Physical parameters related to the developments of recrystallization textures in an ultra low carbon steel
X. H. Liu, Z. Suo and Q. Ma	67	Split singularities: stress field near the edge of a silicon die on a polymer substrate
H. H. Yu and Z. Suo	77	Delayed fracture of ceramics caused by stress-dependent surface reactions
J.-M. Huang, W. Yang and Z.-J. Zhao	89	Interconnect damage by electromigration: experiment and numerical simulation
W. Puff, B. Logar and A. G. Balogh	101	An investigation of vacancy-like defects in stoichiometric NiAl by means of positron annihilation measurements
W. S. Owen and M. Grujicic	111	Strain aging of austenitic Hadfield manganese steel
M. Verdier, Y. Brechet and P. Guyot	127	Recovery of AlMg alloys: flow stress and strain-hardening properties
K. Kitazono and E. Sato	135	Internal stress superplasticity in directionally solidified Al-Al ₃ Ni eutectic composite
R. Gradinger and F. G. Rammerstorfer	143	On the influence of meso-inhomogeneities on the crush worthiness of metal foams
J. V. Funn and I. Dutta	149	Creep behavior of interfaces in fiber reinforced metal-matrix composites

Y. Kaneko, T. Mimaki and S. Hashimoto	165	Cyclic stress-strain response of ferritic stainless steel single crystals with the (112) primary slip plane
H. I. Aaronson and C. S. Pande	175	A synthesis of mechanisms for initiation of the cellular (or discontinuous precipitation) reaction
F. Ernst, A. Rečnik, P. A. Langjahr, P. D. Nellist and M. Rühle	183	Atomistic structure of misfit dislocations in $\text{SrZrO}_3/\text{SrTiO}_3$ interfaces
Yinong Liu, Yong Liu and J. Van Humbeeck	199	Two-way shape memory effect developed by martensite deformation in NiTi
S. Sakai, H. Tanimoto and H. Mizubayashi	211	Mechanical behavior of high-density nanocrystalline gold prepared by gas deposition method
V. I. Levitas, A. V. Idesman and G. B. Olson	219	Continuum modeling of strain-induced martensitic transformation at shear-band intersections
E. A. Trillo and L. E. Murr	235	Effects of carbon content, deformation, and interfacial energetics on carbide precipitation and corrosion sensitization in 304 stainless steel
D. Y. Li and L. Q. Chen	247	Shape evolution and splitting of coherent particles under applied stresses
R. J. Butcher, C.-E. Rousseau and H. V. Tippur	259	A functionally graded particulate composite: preparation, measurements and failure analysis
D.-N. Fang, W. Lu, W.-Y. Yan, T. Inoue and K.-C. Hwang	269	Stress-strain relation of CuAlNi SMA single crystal under biaxial loading—constitutive model and experiments
A. Deschamps, F. Livet and Y. Bréchet	281	Influence of predeformation on ageing in an Al-Zn-Mg alloy—I. Microstructure evolution and mechanical properties
A. Deschamps and Y. Brechet	293	Influence of predeformation and ageing of an Al-Zn-Mg alloy—II. Modeling of precipitation kinetics and yield stress
Z. Wang, B. Gong and Z. G. Wang	307	Cyclic deformation behavior of Cu-30wt% Zn single crystals oriented for single slip—I. Cyclic deformation response and slip band behavior
B. Gong, Z. Wang and Z. G. Wang	317	Cyclic deformation behavior of Cu-30% Zn single crystals oriented for single slip—II. Dislocation structures
L. Klinger, Y. Brechet and G. Purdy	325	The kinetics of interface-diffusion-controlled reaction in lamellar eutectoids and reactive multilayers
D. Kramer, H. Huang, M. Kriese, J. Robach, J. Nelson, A. Wright, D. Bahr and W. W. Gerberich	333	Yield strength predictions from the plastic zone around nanocontacts

- | | | |
|--|-----|---|
| J. J. Hoyt | 345 | Coarsening in multiphase multicomponent systems—I. The mean field limit |
| S. Harjo, Y. Tomota and M. Ono | 353 | Measurements of thermal residual elastic strains in ferrite-austenite Fe-Cr-Ni alloys by neutron and X-ray diffractions |
| V. Tikare, E. A. Holm, D. Fan and L.-Q. Chen | 363 | Comparison of phase-field and Potts models for coarsening processes |

NUMBER 2

- | | | |
|---|-----|--|
| J. W. L. Pang, T. M. Holden, P. A. Turner and T. E. Mason | 373 | Intergranular stresses in Zircaloy-2 with rod texture |
| E. Budke, T. Surholt, S. I. Prokofjev, L. S. Shvindlerman and Chr. Herzig | 385 | Tracer diffusion of Au and Cu in a series of near $\Sigma = 5$ (310)[001] symmetrical Cu tilt grain boundaries |
| D. Siebörger and U. Glatzel | 397 | Orientation-dependent creep behavior and microstructure of nickel solid solution single crystals |
| M. Nomura, C. Iwamoto and S.-I. Tanaka | 407 | Nanostructure of wetting triple line in a Ag-Cu-Ti/Si ₃ N ₄ reactive system |
| R.-M. Keller, S. P. Baker and E. Arzt | 415 | Stress-temperature behavior of unpassivated thin copper films |
| P. Mašek, F. Chmelik, V. Šima, A. Brinck and H. Neuhäuser | 427 | Microstructure processes induced by phase transitions in a CuAu alloy as studied by acoustic emission and optical cinematography |
| W. S. Tong, J. M. Rickman and K. Barmak | 435 | Quantitative analysis of spatial distribution of nucleation sites: microstructural implications |
| A. Hildenbrand, L. S. Tóth, A. Molinari, J. Baczynski and J. J. Jonas | 447 | Self-consistent polycrystal modelling of dynamic recrystallization during the shear deformation of a Ti IF steel |
| C. Rado, S. Kalogeropoulou and N. Eustathopoulos | 461 | Wetting and bonding of Ni-Si alloys on silicon carbide |
| M. Sluiter and Y. Kawazoe | 475 | A simple model for the cyclic amorphization phenomenon |
| H. Ye, V. V. Pujar and N. P. Padture | 481 | Coarsening in liquid-phase-sintered α -SiC |
| F.-Y. Xie, T. Kraft, Y. Zuo, C.-H. Moon and Y. A. Chang | 489 | Microstructure and microsegregation in Al-rich Al-Cu-Mg alloys |

C.-T. Lin, Y.-L. Shen, R. Becker and S. Suresh	501	Grain morphology, texture, and microhardness gradients in aluminum diffusion-bonded to aluminum oxide
E. Tzimas and A. Zavaliangos	517	Mechanical behavior of alloys with equiaxed microstructure in the semisolid state at high solid content
K. L. Hwu and B. Derby	529	Fracture of metal/ceramic laminates—I. Transition from single to multiple cracking
K. L. Hwu and B. Derby	545	Fracture of metal/ceramic laminates—II. Crack growth resistance and toughness
M. Hoffman, S. Skirl, W. Pompe and J. Rödel	565	Thermal residual strains and stresses in $\text{Al}_2\text{O}_3/\text{Al}$ composites with interpenetrating networks
Y. Saito, H. Utsunomiya, N. Tsuji and T. Sakai	579	Novel ultra-high straining process for bulk materials—development of the accumulative roll-bonding (ARB) process
M. E. Fitzpatrick, M. T. Hutchings and P. J. Withers	585	Separation of measured fatigue crack stress fields in a metal matrix composite material
Y. Estrin, S. Arndt, M. Heilmaier and Y. Bréchet	595	Deformation behaviour of particle-strengthened alloys: a Voronoi mesh approach
J. Matejcek, S. Sampath, P. C. Brand and H. J. Prask	607	Quenching, thermal and residual stress in plasma sprayed deposits: NiCrAlY and YSZ coatings
F. Charlot, F. Bernard, E. Gaffet, D. Klein and J. C. Niepce	619	<i>In situ</i> time-resolved diffraction coupled with a thermal i.r. camera to study mechanically activated SHS reaction: case of Fe-Al binary system
A. I. P. Nwobu, R. D. Rawlings and D. R. F. West	631	Nitride formation in titanium based substrates during laser surface melting in nitrogen-argon atmospheres
Y. Liu, Z. L. Xie, J. Van Humbeeck and L. Delaey	645	Effect of texture orientation on the martensite deformation of NiTi shape memory alloy sheet
M. Long, R. Crooks and H. J. Rack	661	High-cycle fatigue performance of solution-treated metastable- β titanium alloys
J. E. Spowart and T. W. Clyne	671	The axial compressive failure of titanium reinforced with silicon carbide monofilaments
T. B. Sercombe and G. B. Schaffer	689	The effect of trace elements on the sintering of Al-Cu alloys
J. S. Wang and A. G. Evans	699	Effects of strain cycling on buckling, cracking and spalling of a thermally grown alumina on a nickel-based bond coat
M. V. Kral and G. Spanos	711	Three-dimensional analysis of proeutectoid cementite precipitates

NUMBER 3

v Editorial announcement

- | | | |
|---|-----|---|
| L. Klinger and E. Rabkin | 725 | Beyond the Fisher model of grain boundary diffusion: effect of structural inhomogeneity in the bulk |
| T. Höche, S. Habelitz and I. Avramov | 735 | Crystal morphology engineering in $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-MgO-K}_2\text{O-Na}_2\text{O-F}^-$ mica glass-ceramics |
| E. M. Schulson and E. T. Gratz | 745 | The brittle compressive failure of orthotropic ice under triaxial loading |
| H. Miura, T. Sakai, H. Tamura and G. Gottstein | 757 | Effect of dispersed liquid B_2O_3 particles on high-temperature mechanical behavior of copper bicrystals |
| D. Raabe and D. Mattissen | 769 | Experimental investigation and Ginzburg-Landau modeling of the microstructure dependence of superconductivity in Cu-Ag-Nb wires |
| I. MacLaren, P. A. Trusty and C. B. Ponton | 779 | A transmission electron microscope study of hydrothermally synthesized yttrium disilicate powders |
| V. Sahajwalla and R. Khanna | 793 | Influence of sulphur on the solubility of graphite in iron melts: a Monte Carlo simulation study |
| J. J. Kruzic, J. P. Campbell and R. O. Ritchie | 801 | On the fatigue behavior of γ -based titanium aluminides: role of small cracks |
| C.-J. Ting and H.-Y. Lu | 817 | Hot-pressing of magnesium aluminate spinel—I. Kinetics and densification mechanism |
| C.-J. Ting and H.-Y. Lu | 831 | Hot-pressing of magnesium aluminate spinel—II. Microstructure development |
| Y. Nishida and G. Ohira | 841 | Modelling of infiltration of molten metal in fibrous preform by centrifugal force |
| L. Thilly, J. Colin, F. Lecouturier, J. P. Peyrade, J. Grilhé and S. Askénazy | 853 | Interface instability in the drawing process of copper/tantalum conductors |
| A. B. Lopes, E. F. Rauch and J. J. Gracio | 859 | Textural vs structural plastic instabilities in sheet metal forming |
| A. Atkinson and A. Selçuk | 867 | Residual stress and fracture of laminated ceramic membranes |
| T. Tomida, N. Sano, K. Hanafusa, H. Tomizawa and S. Hirose | 875 | Intermediate hydrogenation phase in the hydrogenation-disproportionation-desorption-recombination process of $\text{Nd}_2\text{Fe}_{14}\text{B}$ -based anisotropic magnets |
| J. Ch. Verhasselt, G. Gottstein, D. A. Molodov and L. S. Shvindlerman | 887 | Shape of moving grain boundaries in Al-bicrystals |

- | | | |
|--|------|--|
| J. Kameda and T. E. Bloomer | 893 | Kinetics of grain-boundary segregation and desegregation of sulfur and phosphorus during post-irradiation annealing |
| S. K. Kailasam
and M. E. Glicksman | 905 | A simplified method for calculating the diffusivity matrix in ternary alloys |
| Y. Liu, R. M. German
and R. G. Iacocca | 915 | Microstructure quantification procedures in liquid-phase sintered materials |
| A. L. Sozinov, A. G. Balanyuk
and V. G. Gavriljuk | 927 | N-N interaction and nitrogen activity in the iron base austenite |
| K. Ito, T. Yano, T. Nakamoto,
H. Inui and M. Yamaguchi | 937 | Plastic deformation of single crystals of WSi_2 with the C11_b structure |
| I. Madariaga and I. Gutiérrez | 951 | Role of the particle-matrix interface on the nucleation of acicular ferrite in a medium carbon microalloyed steel |
| D. Weygand, Y. Bréchet
and J. Lépinoux | 961 | Zener pinning and grain growth: a two-dimensional vertex computer simulation |
| I. Steinbach, C. Beckermann,
B. Kauerauf, Q. Li
and J. Guo | 971 | Three-dimensional modeling of equiaxed dendritic growth on a mesoscopic scale |
| M. E. Thompson and
P. W. Voorhees | 983 | Equilibrium particle morphologies in elastically stressed coherent solids |
| K. Hono, D. H. Ping,
M. Ohnuma and H. Onodera | 997 | Cu clustering and Si partitioning in the early crystallization stage of an $\text{Fe}_{73.5}\text{Si}_{13.5}\text{B}_9\text{Nb}_{13}\text{Cu}_1$ amorphous alloy |
| N. Ono, K. Kimura
and T. Watanabe | 1007 | Monte Carlo simulation of grain growth with the full spectra of grain orientation and grain boundary energy |
| S. Suri, G. B. Viswanathan,
T. Neeraj, D.-H. Hou
and M. J. Mills | 1019 | Room temperature deformation and mechanisms of slip transmission in oriented single-colony crystals of an α/β titanium alloy |
| D. C. Lu and T. M. Pollock | 1035 | Low temperature deformation and dislocation substructure of ruthenium aluminide polycrystals |
| M. Göken and M. Kempf | 1043 | Microstructural properties of superalloys investigated by nanoindentations in an atomic force microscope |
| M. Zehetbauer, T. Ungár,
R. Kral, A. Borbély,
E. Schafler, B. Ortner,
H. Amenitsch and
S. Bernstorff | 1053 | Scanning X-ray diffraction peak profile analysis in deformed Cu-polycrystals by synchrotron radiation |
| X. W. Zhou and
H. N. G. Wadley | 1063 | Twin formation during the atomic deposition of copper |

I Keywords

NUMBER 4

v Editorial Announcement

- | | | |
|---|------|--|
| R. Higginson and P. Bate | 1079 | Substructure drag effects and recrystallization textures in aluminium |
| T. Nakano, A. Negishi,
K. Hayashi and
Y. Umakoshi | 1091 | Ordering process of Al_5Ti_3 , $h-Al_2Ti$ and $r-Al_2Ti$ with f.c.c.-based long-period superstructures in rapidly solidified Al-rich TiAl alloys |
| D. V. Shtansky, K. Nakai and
Y. Ohmori | 1105 | Crystallography and interface boundary structure of pearlite with M_7C_3 carbide lamellae |
| R. Voitovitch, A. Mortensen,
F. Hodaj and
N. Eustathopoulos | 1117 | Diffusion-limited reactive wetting: study of spreading kinetics of Cu-Cr alloys on carbon substrates |
| Y. L. Hao, D. S. Xu, Y. Y. Cui,
R. Yang and D. Li | 1129 | The site occupancies of alloying elements in TiAl and Ti_3Al alloys |
| T. Helander and J. Ågren | 1141 | A phenomenological treatment of diffusion in Al-Fe and Al-Ni alloys having B2-b.c.c. ordered structure |
| R. Banerjee, X.-D. Zhang,
S. A. Dregia and H. L. Fraser | 1153 | Phase stability in Al/Ti multilayers |
| S. Yamaura, Y. Igarashi,
S. Tsurekawa and
T. Watanabe | 1163 | Structure-dependent intergranular oxidation in Ni-Fe polycrystalline alloy |
| H. Chen and J. E. Morral | 1175 | Variation of the effective diffusivity in two-phase regions |
| Z. Lin, E. J. Lavernia and
F. A. Mohamed | 1181 | High-temperature deformation in a Ta-W alloy |
| Y. Yamamoto and
M. Kajihara | 1195 | Quantitative analysis of observations on diffusion induced grain boundary migration for random boundaries in the Cu(Zn) system using a driving force model |
| K. Gall, H. Schitoglu,
Y. I. Chumlyakov and
I. V. Kireeva | 1203 | Tension-compression asymmetry of the stress-strain response in aged single crystal and polycrystalline NiTi |
| V. Marx, F. R. Reher and
G. Gottstein | 1219 | Simulation of primary recrystallization using a modified three-dimensional cellular automaton |
| C. Minkwitz, Chr. Herzig,
E. Rabkin and W. Gust | 1231 | The inclination dependence of gold tracer diffusion along a $\Sigma 3$ twin grain boundary in copper |
| J. Xu, G. S. Collins,
L. S. J. Peng and M. Atzmon | 1241 | Deformation-assisted decomposition of unstable $Fe_{50}Cu_{50}$ solid solution during low-energy ball milling |
| H. H. Tian and M. Atzmon | 1255 | Kinetics of microstructure evolution in nanocrystalline Fe powder during mechanical attrition |

- | | | |
|---|------|--|
| Y. Takayama, T. Tozawa and H. Kato | 1263 | Superplasticity and thickness of liquid phase in the vicinity of solidus temperature in a 7475 aluminum alloy |
| I. A. Yakubtsov, A. Ariapour and D. D. Perovic | 1271 | Effect of nitrogen on stacking fault energy of f.c.c. iron-based alloys |
| K. Kaneko, M. Yoshiya, I. Tanaka and S. Tsurekawa | 1281 | Chemical bonding of oxygen in intergranular amorphous layers in high-purity β -SiC ceramics |
| T.-Y. Zhang and Y.-J. Su | 1289 | Elasticity studies of the critical thickness of an epilayer deposited on a compliant substrate |
| E. A. G. Shillington and D. R. Clarke | 1297 | Spalling failure of a thermal barrier coating associated with aluminum depletion in the bond-coat |
| R. Tewari, P. Mukhopadhyay, S. Banerjee and L. A. Bendersky | 1307 | Evolution of ordered ω phases in (Zr ₃ Al)-Nb alloys |
| J. M. Rickman, N. Sridhar and D. J. Srolovitz | 1325 | Defect model of twinning in ferroelectrics |
| Z. T. Sui, P. X. Zhang and C. Yamauchi | 1337 | Precipitation selectivity of boron compounds from slags |
| R. D. Geraghty, J. C. Hay and K. W. White | 1345 | Fatigue degradation of the crack wake zone in monolithic alumina |
| D. P. Mika and P. R. Dawson | 1355 | Polycrystal plasticity modeling of intracrystalline boundary textures |
| Zs. Tókei, J. Bernardini and D. L. Beke | 1371 | Grain-boundary diffusion in B2 intermetallic compounds: effect of ordering on diffusion in the Fe ₃ Al and FeCo compounds |
| A. Das, I. Manna and S. K. Pabi | 1379 | A numerical model of peritectic transformation |
| Y. G. Chen and B. X. Liu | 1389 | Interface-driven alloying and metallic glass formation in nano-multilayers in an immiscible Y-Nb system |

I Keywords

NUMBER 5

v Announcement

vii Editorial announcement

- | | | |
|--|------|--|
| G. B. Viswanathan, V. K. Vasudevan and M. J. Mills | 1399 | Modification of the jogged-screw model for creep of γ -TiAl |
|--|------|--|

B. Schönfeld, M. J. Portmann, S. Y. Yu and G. Kostorz	1413	The type of order in Cu-10 at.% Au—evidence from the diffuse scattering of X-rays
P. A. Korzhavyi, I. A. Abrikosov and B. Johansson	1417	Theoretical investigation of sulfur solubility in pure copper and dilute copper-based alloys
A. Serra, D. J. Bacon and R. C. Pond	1425	Dislocations in interfaces in the h.c.p. metals—I. Defects formed by absorption of crystal dislocations
R. C. Pond, A. Serra and D. J. Bacon	1441	Dislocations in interfaces in the h.c.p. metals—II. Mechanisms of defect mobility under stress
G. Shi, H. V. Atkinson, C. M. Sellars and C. W. Anderson	1455	Application of the Generalized Pareto Distribution to the estimation of the size of the maximum inclusion in clean steels
T. J. Lu and C. Chen	1469	Thermal transport and fire retardance properties of cellular aluminium alloys
N. Nishiyama and A. Inoue	1487	Supercooling investigation and critical cooling rate for glass formation in Pd-Cu-Ni-P alloy
E. M. Hunt and J. M. Hampikian	1497	Ion implantation-induced nanoscale particle formation in Al ₂ O ₃ and SiO ₂ via reduction
A. G. Evans, J. W. Hutchinson and M. Y. He	1513	Micromechanics model for the detachment of residually compressed brittle films and coatings
H. Yin, T. Emi and H. Shibata	1523	Morphological instability of δ -ferrite/ γ -austenite interphase boundary in low carbon steels
M. Murayama and K. Hono	1537	Pre-precipitate clusters and precipitation processes in Al-Mg-Si alloys
N. Matan, D. C. Cox, P. Carter, M. A. Rist, C. M. F. Rae and R. C. Reed	1549	Creep of CMSX-4 superalloy single crystals: effects of misorientation and temperature
Z. Witczak and V. A. Goncharova	1565	Anomalous plastic flow of cerium near the isomorphic phase transformations under high hydrostatic pressure
S.-H. Leigh and C. C. Berndt	1575	Modelling of elastic constants of plasma spray deposits with ellipsoid-shaped voids
Y. Arun Roy, R. Narasimhan and P. R. Arora	1587	An experimental investigation of constraint effects on mixed mode fracture initiation in a ductile aluminium alloy
A. Arsenlis and D. M. Parks	1597	Crystallographic aspects of geometrically-necessary and statistically-stored dislocation density
J.-Y. Buffière, E. Maire, P. Cloetens, G. Lormand and R. Fougères	1613	Characterization of internal damage in a MMC _p using X-ray synchrotron phase contrast microtomography

- | | | |
|--|------|---|
| D. Mattissen, D. Raabe and
F. Heringhaus | 1627 | Experimental investigation and modeling of the influence of microstructure on the resistive conductivity of a Cu-Ag-Nb <i>in situ</i> composite |
| V. Jayaram,
N. N. Viswanathan and
T. A. Abinandanan | 1635 | A dislocation pile-up model for the yield stress of a composite |
| A. Jacot and M. Rappaz | 1645 | A combined model for the description of austenitization, homogenization and grain growth in hypoeutectoid Fe-C steels during heating |
| K. Kitazono, E. Sato and
K. Kuribayashi | 1653 | Unified interpretation of internal stress superplasticity models based on thermally-activated kinetics |
| V. Franco, X. Batlle,
A. Labarta, J. Bassas and
F. Sandiumenge | 1661 | Texture, strain and alloying in sputtered granular magnetic films |
| D. Zang and R. B. McLellan | 1671 | A finite difference calculation of vacancy migration under non-steady state conditions |
| F. Rebillat, A. Guette and
C. R. Brosse | 1685 | Chemical and mechanical alterations of SiC Nicalon fiber properties during the CVD/CVI process for boron nitride |

I Keywords

NUMBER 6

v Editorial Announcement

- | | | |
|---|------|---|
| D. Kuhlmann-Wilsdorf | 1697 | Overview No. 131: "Regular" deformation bands (DBs) and the LEDS hypothesis |
| A. W. Zhu, A. Csontos and
E. A. Starke Jr | 1713 | Computer experiment on superposition of strengthening effects of different particles |
| M. L. Gambone and
A. H. Rosenberger | 1723 | Creep of SiC/Ti-I100 composite in a vacuum environment |
| X.-L. Xu and
R. K. N. D. Rajapakse | 1735 | Analytical solution for an arbitrarily oriented void/crack and fracture of piezoceramics |
| D. R. Clarke and W. Pompe | 1749 | Critical radius for interface separation of a compressively stressed film from a rough surface |
| Y. Yamamoto, M. Moriyama,
M. Kajihara and T. Mori | 1757 | Kinetics of diffusion induced grain boundary migration of [100] twist boundaries in the Cu(Zn) system |
| Y. T. Zhu, J. A. Valdez,
I. J. Beyerlein, S. J. Zhou,
C. Liu, M. G. Stout,
D. P. Butt and T. C. Lowe | 1767 | Mechanical properties of bone-shaped-short-fiber reinforced composites |

- | | | |
|---|------|--|
| A. M. Mullis | 1783 | Growth induced dendritic bending and rosette formation during solidification in a shearing flow |
| M. Holmquist, V. Recina and B. Pettersson | 1791 | Tensile and creep properties of diffusion bonded titanium alloy IMI 834 to gamma titanium aluminide IHI Alloy 01A |
| J. Y. Huang | 1801 | HRTEM and EELS studies of defects structure and amorphous-like graphite induced by ball-milling |
| R. M. Imayev, N. K. Gabdullin, G. A. Salishchev, O. N. Senkov, V. M. Imayev and F. H. Froes | 1809 | Effect of grain size and partial disordering on ductility of Ti ₃ Al in the temperature range of 20–600°C |
| C. S. Lee, G. W. Han, R. E. Smallman, D. Feng and J. K. L. Lai | 1823 | The influence of boron-doping on the effectiveness of grain boundary hardening in Ni ₃ Al |
| K. Milička | 1831 | Creep behaviour of long range ordered Cu50Zn alloy |
| J. Li, P. Cheung and J. C. M. Li | 1845 | Materials removal and energy dissipation during sawing of polycarbonate and glass |
| H. Hosokawa, H. Iwasaki, T. Mori, M. Mabuchi, T. Tagata and K. Higashi | 1859 | Effects of Si on deformation behavior and cavitation of coarse-grained Al–4.5Mg alloys exhibiting large elongation |
| V. Moorthy, S. Vaidyanathan, T. Jayakumar, B. Raj and B. P. Kashyap | 1869 | Effect of tensile deformation on micromagnetic parameters in 0.2% carbon steel and 2.25Cr–1Mo steel |
| S. P. Riege, C. V. Thompson and H. J. Frost | 1879 | Simulation of the influence of particles on grain structure evolution in two-dimensional systems and thin films |
| C. Pareige, F. Soisson, G. Martin and D. Blavette | 1889 | Ordering and phase separation in Ni–Cr–Al: Monte Carlo simulations vs three-dimensional atom probe |
| L. Battezzati, P. Pappalepore, F. Durbiano and I. Gallino | 1901 | Solid state reactions in Al/Ni alternate foils induced by cold rolling and annealing |
| M. Mabuchi and K. Higashi | 1915 | On accommodation helper mechanism for superplasticity in metal matrix composites |
| H. Y. Yasuda, T. Sakata and Y. Umakoshi | 1923 | Variant selection in transformation texture from the β to α phase in Cu–40 mass% Zn alloy |
| V. Yu. Novikov | 1935 | Texture development during grain growth in polycrystals with strong preferred orientation |
| C.-M. Chen, L. T. Zhang, W. C. Zhou and M. Q. Li | 1945 | High temperature oxidation of LaB ₆ –ZrB ₂ eutectic <i>in situ</i> composite |
| A. Kalogeridis, J. Pesicka and E. Nembach | 1953 | The critical resolved shear stress of peak-aged aluminium–lithium single crystals |

- B. Coluzzi, A. Biscarini, 1965 Mechanical spectroscopy and twin boundary properties in
R. Campanella, L. Trotta, a $\text{Ni}_{50.8}\text{Ti}_{49.2}$ alloy
G. Mazzolai, A. Tuissi and
F. M. Mazzolai
- C.-C. Lin, A. Zangvil and 1977 Modes of oxidation in SiC-reinforced mullite/ ZrO_2
R. Ruh composites: oxidation vs depth behavior
- H. Okaniwa, D. Shindo, 1987 Determination of site occupancy of additives X (X = V,
M. Yoshida and T. Takasugi Mo, W and Ti) in the Nb-Cr-X Laves phase by
ALCHEMI
- T. Ikeda, H. Numakura and 1993 Corrigendum: A Bragg-Williams model for the thermo-
M. Koiwa dynamic activity and the thermodynamic factor in
diffusion for ordered alloys with substitutional defects

I Keywords

NUMBER 7

v Editorial Announcement

- G. Rubin and 1995 Three-dimensional model of precipitation of ordered
A. G. Khachaturyan intermetallics
- J. H. Zhu, L. M. Pike, 2003 Point defects in binary Laves phase alloys
C. T. Liu and P. K. Liaw
- Y. Koizumi, T. Nakano and 2019 Plastic deformation and fracture behaviour of Ti_3Al single
Y. Umakoshi crystals deformed at high temperatures under cyclic
loading
- N. Matan, D. C. Cox, 2031 On the kinetics of rafting in CMSX-4 superalloy single
C. M. F. Rae and R. C. Reed crystals
- M. Mabuchi, K. Ameyama, 2047 Low temperature superplasticity of AZ91 magnesium alloy
H. Iwasaki and with non-equilibrium grain boundaries
K. Higashi
- H. S. Kim and S. I. Hong 2059 A model of the ductile-brittle transition of partially
crystallized amorphous Al-Ni-Y alloys
- A. O. Mekhrabov and 2067 Effect of ternary alloying elements addition on atomic
M. V. Akdeniz ordering characteristics of Fe-Al intermetallics
- G. Sattonnay and O. Dimitrov 2077 Long-range order relaxation and phase transformation in
 γ -TiAl alloys
- M. A. Meyers, D. J. Benson 2089 Shock consolidation: microstructurally-based analysis and
and E. A. Olefsky computational modeling
- Q. Jiang, H. X. Shi and 2109 Free energy of crystal-liquid interface
M. Zhao

- | | | |
|---|------|---|
| Ch. Gras, F. Charlot,
E. Gaffet, F. Bernard and
J. C. Niepce | 2113 | <i>In situ</i> synchrotron characterization of mechanically activated self-propagating high-temperature synthesis applied in Mo-Si system |
| J. X. Zhang, Y. F. Zheng and
L. C. Zhao | 2125 | The structure and mobility of the intervariant boundaries in 18R martensite in a Cu-Zn-Al alloy |
| A. Michels, C. E. Krill,
H. Ehrhardt, R. Birringer
and D. T. Wu | 2143 | Modelling the influence of grain-size-dependent solute drag on the kinetics of grain growth in nanocrystalline materials |
| A. E. Giannakopoulos and
S. Suresh | 2153 | Theory of indentation of piezoelectric materials |
| W. P. Jia, S. X. Li, Z. G. Wang,
X. W. Li and
G. Y. Li | 2165 | Cyclic deformation behavior of non-isoaxial copper tricrystals and bicrystals |
| K. S. Park and J. K. Park | 2177 | Effect of thin film stress on the elastic strain energy of Cr thin film on substrate |
| A. Gallardo-López, A. Muñoz,
J. Martínez-Fernández and
A. Domínguez-Rodríguez | 2185 | High-temperature compressive creep of liquid phase sintered silicon carbide |
| J. G. Speer and D. V. Edmonds | 2197 | Aging of α'_B martensite in U-0.77Ti |
| J.-P. Delplanque and
R. H. Rangel | 2207 | Simulation of liquid-jet overflow in droplet deposition processes |
| Z. P. Lu, T. T. Goh, Y. Li and
S. C. Ng | 2215 | Glass formation in La-based La-Al-Ni-Cu-(Co) alloys by Bridgman solidification and their glass forming ability |
| D. Zang and R. B. McLellan | 2225 | Concentration-distance profiles resulting from the hydrogen-charging of metal lattices under high fugacity conditions |
| K. Tanaka, M. Kanari and
N. Matsui | 2243 | A continuum dislocation model of Vickers indentation on a zirconia |
| Y. Huang and F. J. Humphreys | 2259 | Measurements of grain boundary mobility during recrystallization of a single-phase aluminium alloy |
| Paritosh, D. J. Srolovitz,
C. C. Battaile, X. Li and
J. E. Butler | 2269 | Simulation of faceted film growth in two-dimensions: microstructure, morphology and texture |
| D. M. Wan, J. M. Xue and
J. Wang | 2283 | Synthesis of single phase $0.9\text{Pb}[(\text{Zn}_{0.6}\text{Mg}_{0.4})_{1/3}\text{Nb}_{2/3}\text{O}_3]-0.1\text{PbTiO}_3$ by mechanically activating mixed oxides |
| B.-N. Kim and T. Kishi | 2293 | Finite element simulation of Zener pinning behavior |
| G. Valdrè, G. A. Botton and
L. M. Brown | 2303 | High spatial resolution PEELS characterization of FeAl nanograins prepared by mechanical alloying |

I Keywords

NUMBER 8

v Announcement

vi Editorial Announcement

- | | | |
|---|------|--|
| A. N. Gulluoglu and C. T. Tsai | 2313 | Effect of growth parameters on dislocation generation in InP single crystal grown by the vertical gradient freeze process |
| K. Y. G. McCullough,
N. A. Fleck and
M. F. Ashby | 2323 | Uniaxial stress-strain behaviour of aluminium alloy foams |
| K. Y. G. McCullough,
N. A. Fleck and
M. F. Ashby | 2331 | Toughness of aluminium alloy foams |
| Q. Li and C. Beckermann | 2345 | Evolution of the sidebranch structure in free dendritic growth |
| R. B. Calhoun and
A. Mortensen | 2357 | Equilibrium shape of prismatic dislocation loops under uniform stress |
| G. J. Baxter, T. Furu, Q. Zhu,
J. A. Whiteman and
C. M. Sellars | 2367 | The influence of transient strain-rate deformation conditions on the deformed microstructure of aluminium alloy Al-1% Mg |
| T. Furu, H. R. Shercliff,
G. J. Baxter and
C. M. Sellars | 2377 | The influence of transient deformation conditions on recrystallization during thermomechanical processing of an Al-1% Mg alloy |
| H. G. Zolla and F. Spaepen | 2391 | Calorimetric and magnetic determination of the interfacial enthalpy and heat of mixing in Ag(Ni) alloys |
| U. Brossmann, M. Hirscher
and H. Kronmüller | 2401 | Internal friction in γ -TiAl at high temperatures |
| J. P. Hirth, R. G. Hoagland,
B. L. Holian and
T. C. Germann | 2409 | Shock relaxation by a strain induced martensitic phase transformation |
| U. Ramamurty, S. Sridhar,
A. E. Giannakopoulos and
S. Suresh | 2417 | An experimental study of spherical indentation on piezo-electric materials |
| Y. Q. Wu, X. Y. Yang and
Y. B. Xu | 2431 | Cross-sectional electron microscopy observation on the amorphized indentation region in [001] single-crystal silicon |
| R. Drautz and M. Fähnle | 2437 | The six-jump diffusion cycles in B2 compounds revisited |
| F. Ye and K. Lu | 2449 | Pressure effect on crystallization kinetics of an Al-La-Ni amorphous alloy |

- | | | |
|--|------|--|
| H. Choi-Yim, R. Busch,
U. Köster and
W. L. Johnson | 2455 | Synthesis and characterization of particulate reinforced $Zr_{57}Nb_5Al_{10}Cu_{15.4}Ni_{12.6}$ bulk metallic glass composites |
| M. Zaiser, K. Bay and
P. Hähner | 2463 | Fractal analysis of deformation-induced dislocation patterns |
| A. Landa, P. Wynblatt,
A. Girshick, V. Vitek,
A. Ruban and H. Skriver | 2477 | Development of Finnis-Sinclair type potentials for the Pb-Bi-Ni system—II. Application to surface co-segregation |
| M. Z. Berbon and
T. G. Langdon | 2485 | An examination of the flow process in superplastic yttria-stabilized tetragonal zirconia |
| M. Probst-Hein, A. Dlouhy
and G. Eggeler | 2497 | Interface dislocations in superalloy single crystals |
| A.-M. Harte, N. A. Fleck and
M. F. Ashby | 2511 | Fatigue failure of an open cell and a closed cell aluminium alloy foam |
| P. J. Schilling, J. H. He,
R. C. Tittsworth and E. Ma | 2525 | Two-phase coexistence region in mechanically alloyed Cu-Fe: an X-ray absorption near-edge structure study |
| Y. Feutelais, B. Legendre and
M. Guymont | 2539 | New enthalpies determination and <i>in situ</i> X-ray diffraction observations of order/disorder transitions in $Au_{0.5}Cu_{0.5}$ |
| F. Czerwinski,
A. Zielinska-Lipiec and
J. A. Szpunar | 2553 | Thermal instability of Ni electrodeposits applied in replication of optical recording devices |
| T. Chen, J. M. Hampikian and
N. N. Thadhani | 2567 | Synthesis and characterization of mechanically alloyed and shock-consolidated nanocrystalline NiAl intermetallic |
| K. Satya Prasad,
A. A. Gokhale,
A. K. Mukhopadhyay,
D. Banerjee and
D. B. Goel | 2581 | On the formation of faceted Al_3Zr (β') precipitates in Al-Li-Cu-Mg-Zr alloys |

I Keywords

NUMBER 9

v Announcement

vi Editorial Announcement

- | | | |
|--|------|---|
| M. G. Ardakani,
M. McLean and
B. A. Shollock | 2593 | Twin formation during creep in single crystals of nickel-based superalloys |
| K. F. Hane and T. W. Shield | 2603 | Microstructure in the cubic to monoclinic transition in titanium-nickel shape memory alloys |

- | | | |
|--|------|---|
| D. V. Shtansky, K. Nakai
and Y. Ohmori | 2619 | Pearlite to austenite transformation in an Fe-2.6Cr-1C alloy |
| S. E. Lee, J. M. Xue,
D. M. Wan and J. Wang | 2633 | Effects of mechanical activation on the sintering and dielectric properties of oxide-derived PZT |
| P. Zięba and W. Gust | 2641 | Microanalytical study of discontinuous precipitation and dissolution in Ni-4at.%Sn: local and global characterization of the reactions |
| X. Z. Li, V. Hansen, J. Gjønnnes
and L. R. Wallenberg | 2651 | HREM study and structure modeling of the η' phase, the hardening precipitates in commercial Al-Zn-Mg alloys |
| M. Miodownik, A. W. Godfrey,
E. A. Holm and
D. A. Hughes | 2661 | On boundary misorientation distribution functions and how to incorporate them into three-dimensional models of microstructural evolution |
| J. Johansson, M. Odén and
X.-H. Zeng | 2669 | Evolution of the residual stress state in a duplex stainless steel during loading |
| M. Kiser, M. Y. He and
F. W. Zok | 2685 | The mechanical response of ceramic microballoon reinforced aluminum matrix composites under compressive loading |
| S. J. Zhou, D. L. Preston and
F. Louchet | 2695 | Investigation of vacancy formation by a jogged dissociated dislocation with large-scale molecular dynamics and dislocation energetics |
| F. Berthier, B. Legrand and
G. Tréglia | 2705 | How to compare superficial and intergranular segregation? A new analysis within the mixed SMA-TBIM approach |
| C.-Y. Chen, S.-Y. Chen and
D.-M. Liu | 2717 | Electrophoretic deposition forming of porous alumina membranes |
| C. Mercer, A. B. O. Soboyejo
and W. O. Soboyejo | 2727 | Micromechanisms of fatigue crack growth in a single crystal Inconel 718 nickel-based superalloy |
| D. Soligo, G. Zanzotto and
M. Pitteri | 2741 | Non-generic concentrations for shape-memory alloys; the case of CuZnAl |
| J.-H. Shim, Y. W. Cho,
S. H. Chung, J.-D. Shim and
D. N. Lee | 2751 | Nucleation of intragranular ferrite at Ti_2O_3 particle in low carbon steel |
| J. Colin, L. Thilly,
F. Lecouturier, J. P. Peyrade,
S. Askénazy and J. Grilhé | 2761 | Axial and radial interface instabilities of copper/tantalum cylindrical conductors |
| W. Huang | 2769 | "Yield" surfaces of shape memory alloys and their applications |
| E. Y. Sun, P. F. Becher,
C.-H. Hsueh, G. S. Painter,
S. B. Waters, S.-L. Hwang
and M. J. Hoffmann | 2777 | Debonding behavior between β - Si_3N_4 whiskers and oxynitride glasses with or without an epitaxial β -SiAlON interfacial layer |

- | | | |
|---|------|---|
| H. Ogi, K. Takashima,
H. Ledbetter, M. L. Dunn,
G. Shimoike, M. Hirao and
P. Bowen | 2787 | Elastic constants and internal friction of an SiC-fiber-reinforced Ti-alloy-matrix crossply composite: measurement and theory |
| R. C. Muthiah,
J. A. Pfaendtner, S. Ishikawa
and C. J. McMahon Jr | 2797 | Tin-induced dynamic embrittlement of Cu-7% Sn bicrystals with a $\Sigma 5$ boundary |
| J. M. McNaney, C. J. Gilbert
and R. O. Ritchie | 2809 | Effect of viscous grain bridging on cyclic fatigue-crack growth in monolithic ceramics at elevated temperatures |
| S. G. Srinivasan, J. W. Cahn,
H. Jönsson and G. Kalonji | 2821 | Excess energy of grain-boundary triple junctions: an atomistic simulation study |
| S. Habelitz, T. Höche,
R. Hergt, G. Carl
and C. Rüssel | 2831 | Microstructural design through epitaxial growth in extruded mica glass-ceramics |
| D. P. DeLo and H. R. Piehler | 2841 | Early stage consolidation mechanisms during hot isostatic pressing of Ti-6Al-4V powder compacts |

I Keywords

NUMBER 10

v Editorial Announcement

- | | | |
|---|------|--|
| E. W. Andrews, L. J. Gibson
and M. F. Ashby | 2853 | Overview No. 132: The creep of cellular solids |
| H. Gao, L. Zhang, W. D. Nix,
C. V. Thompson and E. Arzt | 2865 | Crack-like grain-boundary diffusion wedges in thin metal films |
| A. Moulin, M. Condat and
L. P. Kubin | 2879 | Mesoscale modelling of the yield point properties of silicon crystals |
| Y. G. Li, P. A. Blenkinsop,
M. H. Loretto, D. Rugg and
W. Voice | 2889 | Effect of carbon and oxygen on microstructure and mechanical properties of Ti-25V-15Cr-2Al (wt%) alloys |
| R. Mancini and C. Budde | 2907 | Reaustenitisation in Fe-C steels revisited |
| W. Lu, D.-N. Fang, C. Q. Li
and K.-C. Hwang | 2913 | Nonlinear electric-mechanical behavior and micro-mechanics modelling of ferroelectric domain evolution |
| E. W. Andrews, J.-S. Huang
and L. J. Gibson | 2927 | Creep behavior of a closed-cell aluminum foam |
| E. H. Copland, B. Gleeson
and D. J. Young | 2937 | Formation of $Z\text{-Ti}_{50}\text{Al}_{30}\text{O}_{20}$ in the sub-oxide zones of $\gamma\text{-TiAl}$ -based alloys during oxidation at 1000°C |
| L.-S. Chang, E. Rabkin,
S. Hofmann and W. Gust | 2951 | Kinetic aspects of the grain boundary segregation in Cu(Bi) alloys |

- | | | |
|--|------|--|
| M. Leonhardt, W. Löser and
H.-G. Lindenkreuz | 2961 | Solidification kinetics and phase formation of undercooled eutectic Ni-Nb melts |
| R. E. Cook, K. C. Goretta,
J. Wolfenstine, P. Nash and
J. L. Routbort | 2969 | High-temperature deformation and defect chemistry of $(\text{La}_{1-x}\text{Sr}_x)_{1-y}\text{MnO}_{3+\delta}$ |
| N. Eliaz, D. Fuks and
D. Eliezer | 2981 | A new model for the diffusion behavior of hydrogen in metallic glasses |
| P. J. Ferreira, I. M. Robertson
and H. K. Birnbaum | 2991 | Hydrogen effects on the character of dislocations in high-purity aluminum |
| N. Rajmohan, J. A. Szpunar
and Y. Hayakawa | 2999 | A role of fractions of mobile grain boundaries in secondary recrystallization of Fe-Si steels |
| G. Wilde and J. H. Perepezko | 3009 | Critical-point wetting at the metastable chemical binodal in undercooled Fe-Cu alloys |
| K. Xu and R. J. Arsenault | 3023 | High temperature deformation of NiAl matrix composites |
| T. Ujihara and K. Osamura | 3041 | The excess free energy due to the composition gradient for ferromagnetic alloys |
| D. Chatain, P. Wynblatt,
M. De Ruijter,
J. De Coninck and
C. Carter | 3049 | The shape of two-phase drops in the presence of perfect wetting |
| J. W. Bullard and A. W. Searcy | 3057 | Equilibria and kinetics of mass transport between crystal facets: a comparison of two models |
| Y. Yao and T. C. Wang | 3063 | The modified Peierls-Nabarro model of interfacial misfit dislocation |
| K. Komori | 3069 | Proposal and use of a void model for the simulation of ductile fracture behavior |
| R. Suryanarayanan Iyer and
S. M. L. Sastry | 3079 | Consolidation of nanoparticles—development of a micro-mechanistic model |
| P. Lu, R. E. Loehman,
K. G. Ewsuk and
W. G. Fahrenholtz | 3099 | Transmission electron microscopy study of interfacial microstructure formed by reacting Al-Mg alloy with mullite at high temperature |
| B. J. Kooi, M. Kabel,
A. B. Kloosterman and
J. Th. M. De Hosson | 3105 | Reaction layers around SiC particles in Ti: an electron microscopy study |
| H. Van Swygenhoven,
M. Spaczer and A. Caro | 3117 | Microscopic description of plasticity in computer generated metallic nanophase samples: a comparison between Cu and Ni |

I Keywords

NUMBER 11

v Editorial Announcement

- | | | |
|--|------|---|
| K. Hono | 3127 | Overview No. 133: Atom probe microanalysis and nanoscale microstructures in metallic materials |
| D. Basak, W. J. Boettinger,
D. Josell, S. R. Coriell,
J. L. McClure, S. Krishnan
and A. Cezairliyan | 3147 | Effect of heating rate and grain size on the melting behavior of the alloy Nb-47 mass% Ti in pulse-heating experiments |
| D. P. DeLo, R. E. Dutton,
S. L. Semiatin and
H. R. Piehler | 3159 | Modeling of hot isostatic pressing and hot triaxial compaction of Ti-6Al-4V powder |
| A. A. Kodentsov,
M. J. H. van Dal,
C. Cserháti, L. Daróczy
and F. J. J. van Loo | 3169 | Permeation of nitrogen in solid nickel and deformation phenomena accompanying internal nitridation |
| J. J. Hoyt, B. Sadigh,
M. Asta and S. M. Foiles | 3181 | Kinetic phase field parameters for the Cu-Ni system derived from atomistic computations |
| Z. W. Huang and P. Bowen | 3189 | Localised cyclic plastic deformation on translamellar fracture surfaces in a P/M γ -TiAl-based alloy |
| M. Rappaz and
W. J. Boettinger | 3205 | On dendritic solidification of multicomponent alloys with unequal liquid diffusion coefficients |
| S. Yi, K. P. Trumble and
D. R. Gaskell | 3221 | Thermodynamic analysis of aluminate stability in the eutectic bonding of copper with alumina |
| X.-Y. Liu, C.-L. Liu and
L. J. Borucki | 3227 | A new investigation of copper's role in enhancing Al-Cu interconnect electromigration resistance from an atomistic view |
| R. I. Todd, A. R. Boccaccini,
R. Sinclair, R. B. Yaltee
and R. J. Young | 3233 | Thermal residual stresses and their toughening effect in Al_2O_3 platelet reinforced glass |
| I.-J. Jung, S. Kang, S.-H. Jhi
and J. Ihm | 3241 | A study of the formation of Ti(CN) solid solutions |
| M. Lang | 3247 | Explanation of an apparent abnormality in fatigue crack growth rate curves in titanium alloys |
| A. W. Zhu and
E. A. Starke Jr | 3263 | Strengthening effect of unshearable particles of finite size: a computer experimental study |
| X. Lin, W. Huang, J. Feng,
T. Li and Y. Zhou | 3271 | History-dependent selection of primary cellular/dendritic spacing during unidirectional solidification in aluminum alloys |

- J. E. Raynolds, E. R. Roddick, 3281 Impurity effects on adhesion at an interface between NiAl
J. R. Smith and
D. J. Srolovitz
- T. Helander and J. Ågren 3291 Diffusion in the B2-b.c.c. phase of the Al-Fe-Ni system—
application of a phenomenological model
- A. V. Korznikov, O. Dimitrov, 3301 Thermal evolution of high-purity and boron-doped
G. F. Korznikova,
J. P. Dallas, S. R. Idrisova,
R. Z. Valiev and F. Faudot
sub-microcrystalline Ni₃Al produced by severe plastic
deformation
- D. Veeraraghavan, P. Wang 3313 Kinetics and thermodynamics of the $\alpha \rightarrow \gamma_m$ massive
and V. K. Vasudevan
transformation in a Ti-47.5 at.% Al alloy

I Keywords

NUMBER 12

v Editorial Announcement

- H. Mizubayashi, M. Shibasaki 3331 Local strain around hydrogen in amorphous Cu₅₀Zr₅₀ and
and S. Murayama
Cu₅₀Ti₅₀
- U. Anandakumar, S. Kumar 3339 First matrix cracking behavior of ceramic composites at
and R. N. Singh
elevated temperatures
- R. Vaidyanathan, 3353 Phase fraction, texture and strain evolution in superelastic
M. A. M. Bourke and
D. C. Dunand
NiTi and NiTi-TiC composites investigated by neutron
diffraction
- R. C. Reed, N. Matan, 3367 Creep of CMSX-4 superalloy single crystals: effects of
D. C. Cox, M. A. Rist
and C. M. F. Rae
rafting at high temperature
- X. Wu and G. C. Weatherly 3383 Cracking phenomena in In_{0.25}Ga_{0.75}As films on InP
substrates
- Y. Li and T. G. Langdon 3395 A unified interpretation of threshold stresses in the creep
and high strain rate superplasticity of metal matrix
composites
- K. Kishida, J. Yoshikawa, 3405 *c*-Axis tensile deformation of Ti₃Al with the DO₁₉ structure
H. Inui and M. Yamaguchi
at room temperature
- C. M. Wang, G. S. Cargill III, 3411 Atomic structural environment of grain boundary segre-
M. P. Harmer, H. M. Chan
and J. Cho
gated Y and Zr in creep resistant alumina from EXAFS
- A. K. Pannikkat and R. Raj 3423 Measurement of an electrical potential induced by normal
stress applied to the interface of an ionic material at
elevated temperatures

- | | | |
|--|------|--|
| B.-N. Kim, K. Hiraga,
Y. Sakka and B.-W. Ahn | 3433 | A grain-boundary diffusion model of dynamic grain growth during superplastic deformation |
| T. Hirano, M. Demura and
D. Golberg | 3441 | Compliance to Schmid's law in the stress anomaly regime of binary stoichiometric Ni ₃ Al |
| A. Biscarini, B. Coluzzi and
F. M. Mazzolai | 3447 | Application of statistical mechanics to solid solutions of interstitial impurities in binary alloys |
| W. Tang, B. Sundman,
R. Sandström and C. Qiu | 3457 | New modelling of the B2 phase and its associated martensitic transformation in the Ti-Ni system |
| M. A. Fortes and M. F. Ashby | 3469 | The effect of non-uniformity on the in-plane modulus of honeycombs |
| R. Soto, W. Saikaly, X. Bano,
C. Issartel, G. Rigaut and
A. Charai | 3475 | Statistical and theoretical analysis of precipitates in dual-phase steels microalloyed with titanium and their effect on mechanical properties |
| X. Z. Zhang and J. F. Knott | 3483 | Cleavage fracture in bainitic and martensitic microstructures |
| J. X. Zhang, Y. F. Zheng,
Y. C. Luo and L. C. Zhao | 3497 | Substructure and boundary structure of deformed 18R martensite in a Cu-Zn-Al alloy |
| V. V. Bulatov, O. Richmond
and M. V. Glazov | 3507 | An atomistic dislocation mechanism of pressure-dependent plastic flow in aluminum |
| M. Li, S. Ghosh and
O. Richmond | 3515 | An experimental-computational approach to the investigation of damage evolution in discontinuously reinforced aluminum matrix composite |

I Keywords

NUMBER 13

v Editorial Announcement

- | | | |
|---|------|---|
| M. Enomoto | 3533 | Influence of solute drag on the growth of proeutectoid ferrite in Fe-C-Mn alloy |
| Y. Estrin, G. Gottstein and
L. S. Shvindlerman | 3541 | Thermodynamic effects on the kinetics of vacancy-generating processes |
| A. A. Shirzadi and
E. R. Wallach | 3551 | Analytical modelling of transient liquid phase (TLP) diffusion bonding when a temperature gradient is imposed |
| H. G. Kim and K. T. Kim | 3561 | Densification behavior of nanocrystalline titania powder compact under high temperature |
| C. Q. Ru | 3571 | Intrinsic instability of electromigration induced mass transport in a two-dimensional conductor |

M. H. Yoo, K. Yoshimi and S. Hanada	3579	Dislocation stability and deformation mechanisms of iron aluminides and silicide
V. K. Tolpygo and D. R. Clarke	3589	Tensile cracking during thermal cycling of alumina films formed by high-temperature oxidation
E. Abe, M. Ohnuma and M. Nakamura	3607	The structure of a new ϵ -phase formed during the early stage of crystallization of Ti-48 at.% Al amorphous film
X. Feaugas	3617	On the origin of the tensile flow stress in the stainless steel AISI 316L at 300 K: back stress and effective stress
P. F. Thomason	3633	Ductile spallation fracture and the mechanics of void growth and coalescence under shock-loading conditions
I. Groma and P. Balogh	3647	Investigation of dislocation pattern formation in a two-dimensional self-consistent field approximation
J. A. Jimenez, S. Klaus, M. Carsi, O. A. Ruano and G. Frommeyer	3655	Microstructure and high-temperature mechanical behavior of the NiAl-27at.% Cr intermetallic composite
H.-J. Diepers, C. Beckermann and I. Steinbach	3663	Simulation of convection and ripening in a binary alloy mush using the phase-field method
P. D. Nicolaou and S. L. Semiatin	3679	Modeling of cavity coalescence during tensile deformation
T. E. Mitchell, P. Peralta and J. P. Hirth	3687	Deformation by a kink mechanism in high temperature materials
Q. Wang and L.-Q. Chen	3695	Solute segregation and antiphase boundary motion in a B2 single phase
S. Nemat-Nasser, W. G. Guo and J. Y. Cheng	3705	Mechanical properties and deformation mechanisms of a commercially pure titanium
A. Tewari, A. M. Gokhale and R. M. German	3721	Effect of gravity on three-dimensional coordination number distribution in liquid phase sintered microstructures
M. Lang	3735	Erratum: Explanation of an apparent abnormality in fatigue crack growth rate curves in titanium alloys

I Keywords

NUMBER 14

v Editorial Announcement

N. Cui, P. He and J. L. Luo	3737	Magnesium-based hydrogen storage materials modified by mechanical alloying
-----------------------------	------	--

- | | | |
|--|------|---|
| H. Ogi, A. Tsujimoto,
M. Hirao and H. Ledbetter | 3745 | Stress-dependent recovery of point defects in deformed aluminum: an acoustic-damping study |
| H. Watanabe, T. Mukai,
M. Kohzu, S. Tanabe and
K. Higashi | 3753 | Effect of temperature and grain size on the dominant diffusion process for superplastic flow in an AZ61 magnesium alloy |
| E. A. Brener and D. E. Temkin | 3759 | Theory of diffusional growth in cellular precipitation |
| J. Q. Guo, S. Tsukamoto,
T. Kimura and H. Nakae | 3767 | Nucleation process control of undercooled stainless steel by external nucleation seed |
| J. Lacaze | 3779 | Solidification of spheroidal graphite cast irons: III. Microsegregation related effects |
| C. Woodward and S. Kajihara | 3793 | Density of thermal vacancies in γ -Ti-Al-M, M = Si, Cr, Nb, Mo, Ta or W |
| G. Itoh, M. Kanno,
T. Hagiwara and
T. Sakamoto | 3799 | Embrittlement in an age-hardened 2091 aluminum alloy by exposure at elevated temperatures below the aging temperature |
| J. Zhang and C. Laird | 3811 | Cyclic hardening of tungsten monofilament-reinforced monocrystalline copper matrix composites |
| J. Zhang and C. Laird | 3825 | Cyclic saturation behavior of tungsten monofilament-reinforced monocrystalline copper matrix composites |
| M. J. Starink, P. Wang,
I. Sinclair and P. J. Gregson | 3841 | Microstructure and strengthening of Al-Li-Cu-Mg alloys and MMCs: I. Analysis and modelling of microstructural changes |
| M. J. Starink, P. Wang,
I. Sinclair and P. J. Gregson | 3855 | Microstructure and strengthening of Al-Li-Cu-Mg alloys and MMCs: II. Modelling of yield strength |
| T.-Y. Zhang, L.-Q. Chen and
R. Fu | 3869 | Measurements of residual stresses in thin films deposited on silicon wafers by indentation fracture |
| M. Kuroda and V. Tvergaard | 3879 | Use of abrupt strain path change for determining subsequent yield surface: illustrations of basic idea |
| J. F. Bartolomé, M. Díaz,
J. Requena, J. S. Moya and
A. P. Tomsia | 3891 | Mullite/molybdenum ceramic-metal composites |
| M. Upmanyu, D. J. Srolovitz,
L. S. Shvindlerman and
G. Gottstein | 3901 | Misorientation dependence of intrinsic grain boundary mobility: simulation and experiment |
| S. Suresh, M. Olsson,
A. E. Giannakopoulos,
N. P. Padture and
J. Jitcharoen | 3915 | Engineering the resistance to sliding-contact damage through controlled gradients in elastic properties at contact surfaces |
| G. Levi, M. Bamberger and
W. D. Kaplan | 3927 | Wetting of porous titanium carbonitride by Al-Mg-Si alloys |

D. M. Owen and
A. H. Cholestri

3935 Corrigendum: The high temperature mechanical characteristics of superplastic 3 mol% yttria stabilized zirconia

I Keywords

NUMBER 15-16

PROCEEDINGS OF THE ACTA MATERIALIA WORKSHOP ON
"MATERIALS SCIENCE & MECHANICS OF INTERFACES"

25-30 OCTOBER 1998, LA JOLLA, CA

G. Thomas

3937 Preface

D. A. Shashkov,
M. F. Chisholm and
D. N. Seidman

3939 Atomic-scale structure and chemistry of ceramic/metal interfaces—I. Atomic structure of {222} MgO/Cu (Ag) interfaces

D. A. Shashkov, D. A. Muller
and D. N. Seidman

3953 Atomic-scale structure and chemistry of ceramic/metal interfaces—II. Solute segregation at MgO/Cu (Ag) and CdO/Ag (Au) interfaces

H.-J. Lee, K.-W. Kwon,
C. Ryu and R. Sinclair

3965 Thermal stability of a Cu/Ta multilayer: an intriguing interfacial reaction

G. H. Campbell, J. Belak and
J. A. Moriarty

3977 Atomic structure of the $\Sigma 5$ (310)/[001] symmetric tilt grain boundary in molybdenum

V. Radmilovic, R. Kilaas,
U. Dahmen and G. J. Shiflet

3987 Structure and morphology of S-phase precipitates in aluminum

V. J. Keast and D. B. Williams

3999 Quantitative compositional mapping of Bi segregation to grain boundaries in Cu

J. Bruley, V. J. Keast and
D. B. Williams

4009 An EELS study of segregation-induced grain-boundary embrittlement of copper

D. J. Larson,
A. K. Petford-Long,
A. Cerezo and
G. D. W. Smith

4019 Three-dimensional atom probe studies of metallic multilayers

J. W. Steeds, A. Gilmore,
S. Charles, P. Heard,
B. Howarth and J. E. Butler

4025 Use of novel methods for the investigation of the boron distribution in CVD diamond

K. L. Gavrilov, S. J. Bennison,
K. R. Mikeska and
R. Levi-Setti

4031 Grain boundary chemistry of alumina by high-resolution imaging SIMS

L.-S. Chang, E. Rabkin,
B. B. Straumal, B. Baretzky
and W. Gust

4041 Thermodynamic aspects of the grain boundary segregation in Cu(Bi) alloys

- | | | |
|---|------|--|
| U. Alber, H. Müllejans and
M. Rühle | 4047 | Bismuth segregation at copper grain boundaries |
| E. C. Dickey, X. Fan and
S. J. Pennycook | 4061 | Direct atomic-scale imaging of ceramic interfaces |
| P. Rez and J. R. Alvarez | 4069 | Calculation of cohesion and changes in electronic structure
due to impurity segregation at boundaries in iron |
| J. Th. M. de Hosson,
H. B. Groen, B. J. Kooi
and V. Vitek | 4077 | Metal-ceramic interfaces studied with high-resolution
transmission electron microscopy |
| A. G. Evans, J. W. Hutchinson
and Y. Wei | 4093 | Interface adhesion: effects of plasticity and segregation |
| W. W. Gerberich,
D. E. Kramer, N. I. Tymiak,
A. A. Volinsky, D. F. Bahr
and M. D. Kriese | 4115 | Nanoindentation-induced defect-interface interactions:
phenomena, methods and limitations |
| J. S. Vetrano, E. P. Simonen
and S. M. Bruemmer | 4125 | Evidence for excess vacancies at sliding grain boundaries
during superplastic deformation |
| G. Xu, M.-Y. He and
D. R. Clarke | 4131 | The effect of moisture on the fracture energy of TiN/SiO ₂
interfaces in multi-layer thin films |
| A. Levay, G. Möbus, V. Vitek,
M. Rühle and G. Tichy | 4143 | Structure of misfit dislocations in niobium-sapphire
interfaces and strength of interfacial bonding: an atomistic
study |
| J. C. H. Spence | 4153 | Atomistics and mechanical properties of silicon |
| P. Rahul-Kumar, A. Jagota,
S. J. Bennison, S. Saigal and
S. Muralidhar | 4161 | Polymer interfacial fracture simulations using cohesive
elements |
| T. Watanabe and
S. Tsurekawa | 4171 | The control of brittleness and development of desirable
mechanical properties in polycrystalline systems by grain
boundary engineering |
| V. Randle | 4187 | Mechanism of twinning-induced grain boundary engineering
in low stacking-fault energy materials |
| J. Cho, C. M. Wang,
H. M. Chan, J. M. Rickman
and M. P. Harmer | 4197 | Role of segregating dopants on the improved creep
resistance of aluminum oxide |
| E. Saiz, R. M. Cannon and
A. P. Tomsia | 4209 | Energetics and atomic transport at liquid metal/Al ₂ O ₃
interfaces |
| D. R. Bloyer,
J. M. Gomez-Vega, E. Saiz,
J. M. McNaney,
R. M. Cannon and
A. P. Tomsia | 4221 | Fabrication and characterization of a bioactive glass
coating on titanium implant alloys |

- | | | |
|--|------|---|
| R. Banerjee, S. A. Dregia
and H. L. Fraser | 4225 | Stability of f.c.c. titanium in titanium/aluminum multi-layers |
| K. M. Krishnan | 4233 | Magnetism and microstructure: the role of interfaces |
| A. Hütten, S. Mrozek,
S. Heitmann, T. Hempel,
H. Brückl and G. Reiss | 4245 | Evolution of the GMR-effect amplitude in copper/permalloy-multilayered thin films |

I Keywords

NUMBER 17

v Announcement

vii Editorial Announcement

- | | | |
|---|------|--|
| L. Nastac | 4253 | Numerical modeling of solidification morphologies and segregation patterns in cast dendritic alloys |
| M. A. Mangan, M. V. Kral
and G. Spanos | 4263 | Correlation between the crystallography and morphology of proeutectoid Widmanstätten cementite precipitates |
| T. A. Venkatesh and
D. C. Dunand | 4275 | A model for the longitudinal primary creep of a long-fiber composite |
| H. Masui | 4283 | Simulation for f.c.c. deformation texture by modified pencil glide theory |
| T. Okabe, N. Takeda,
J. Komotori, M. Shimizu
and W. A. Curtin | 4299 | A new fracture mechanics model for multiple matrix cracks of SiC fiber reinforced brittle-matrix composites |
| S. I. Bakhtiyarov and
R. A. Overfelt | 4311 | Measurement of liquid metal viscosity by rotational technique |
| T. Naganuma and Y. Kagawa | 4321 | Effect of particle size on light transmittance of glass particle dispersed epoxy matrix optical composites |
| R. Nowak, T. Sekino and
K. Niihara | 4329 | Non-linear surface deformation of the (10 $\bar{1}$ 0) plane of sapphire: identification of the linear features around spherical impressions |
| A. Manonukul and
F. P. E. Dunne | 4339 | Initiation of dynamic recrystallization under inhomogeneous stress states in pure copper |
| R. Ferragut, A. Somoza and
A. Tolley | 4355 | Microstructural evolution of 7012 alloy during the early stages of artificial ageing |
| R. Le Gall and J. J. Jonas | 4365 | Solute drag effects during the dynamic recrystallization of nickel |

- | | | |
|---|------|---|
| Y. H. Wen, Y. Wang and
L. Q. Chen | 4375 | Effect of elastic interaction on the formation of a complex multi-domain microstructural pattern during a coherent hexagonal to orthorhombic transformation |
| C. M. Allen, K. A. Q. O'Reilly,
P. V. Evans and B. Cantor | 4387 | The effect of vanadium and grain refiner additions on the nucleation of secondary phases in 1xxx Al alloys |
| J. M. Sánchez, S. El-Mansy,
B. Sun, T. Scherban,
N. Fang, D. Pantuso,
W. Ford, M. R. Elizalde,
J. M. Martínez-Esnaola,
A. Martín-Meizoso,
J. Gil-Sevillano, M. Fuentes
and J. Maiz | 4405 | Cross-sectional nanoindentation: a new technique for thin film interfacial adhesion characterization |
| J. Fan, W. A. Stoll and
C. S. Lynch | 4415 | Nonlinear constitutive behavior of soft and hard PZT: experiments and modeling |
| A. Gebhardt, T. Höche,
G. Carl and I. I. Khodos | 4427 | TEM study on the origin of cabbage-shaped mica crystal aggregates in machinable glass-ceramics |
| H. J. Stone, T. M. Holden and
R. C. Reed | 4435 | On the generation of microstrains during the plastic deformation of Waspaloy |
| C. Huang,
M. Olvera de la Cruz and
P. W. Voorhees | 4449 | Interfacial adsorption in ternary alloys |

I Keywords

NUMBER 18

v Announcement

- | | | |
|--|------|--|
| C. Garcia-Cordovilla, E. Louis
and J. Narciso | 4461 | Overview No. 134: Pressure infiltration of packed ceramic particulates by liquid metals |
| M. Hillert | 4481 | Overview No. 135: Solute drag, solute trapping and diffusional dissipation of Gibbs energy |
| V. Yu. Novikov | 4507 | Simulation of grain growth in thin films with columnar microstructure |
| Z.-G. Yang and M. Enomoto | 4515 | A discrete lattice plane analysis of coherent f.c.c./B1 interfacial energy |
| A. Biscarini, R. Campanella,
B. Coluzzi, G. Mazzolai,
L. Trotta, A. Tuissi and
F. M. Mazzolai | 4525 | Martensitic transitions and mechanical spectroscopy of Ni _{50.8} Ti _{49.2} alloy containing hydrogen |
| D.-M. Liu and I.-W. Chen | 4535 | Encapsulation of protein molecules in transparent porous silica matrices via an aqueous colloidal sol-gel process |

D. Negri, A. R. Yavari and A. Deriu	4545	Deformation induced transformations and grain boundary thickness in nanocrystalline B2 FeAl
S. R. Chen, H. A. Davies and W. M. Rainforth	4555	Austenite phase formation in rapidly solidified Fe-Cr-Mn-C steels
C. F. Feng, and L. Froyen	4571	<i>In-situ</i> P/M Al/(ZrB ₂ + Al ₂ O ₃) MMCs: processing, microstructure and mechanical characterization
S. Suwas, R. K. Ray, A. K. Singh and S. Bhargava	4585	Evolution of hot rolling textures in a two-phase ($\alpha_2 + \beta$) Ti ₃ Al base alloy
S. Suwas and R. K. Ray	4599	Stability of rolling texture during heat treatment in a two-phase Ti ₃ Al base intermetallic alloy
J. Liu, A. Lal and R. M. German	4615	Densification and shape retention in supersolidus liquid phase sintering
J. W. Cahn and E. S. van Vleck	4627	On the co-existence and stability of trijunctions and quadrijunctions in a simple model
D. H. Ping, K. Hono, H. Kanekiyo and S. Hirose	4641	Microstructural evolution of Fe ₃ B/Nd ₂ Fe ₁₄ B nanocomposite magnets microalloyed with Cu and Nb
A. E. Giannakopoulos, T. A. Venkatesh, T. C. Lindley and S. Suresh	4653	The role of adhesion in contact fatigue
Y.-C. Lin	4665	Structures and superparamagnetic properties of overaged Fe-Al-Mn-C alloys
C. Q. Ru	4683	Electric-field induced crack closure in linear piezoelectric media
M. S. Lewandowski and R. A. Overfelt	4695	High temperature deformation behavior of solid and semi-solid alloy 718
D. K. Kim, Y.-G. Jung, I. M. Peterson and B. R. Lawn	4711	Cyclic fatigue of intrinsically brittle ceramics in contact with spheres

I	List of Contents, Author Index and Keyword Index, Volume 47
---	---

XLI	Keywords
-----	----------

